



RCRA RECORDS CENTER
FACILITY MACDEPINID
I.D. NO. CTOCOILLY 599
FILE LOC. R-1B
OTHER RDMS# 100872

...right to the Finish!

Waterbury, Connecticut • Ferndale, Michigan • Los Angeles, California • St. Louis, Missouri

CC: R. Post

F. Koehler

B. Innes

50 BROOKSIDE AVENUE • WATERBURY, CONNECTICUT 06720 TELEPHONE 203 754-6161 • TELEX: 96-2413

June 24, 1981

U.S. ENVIRONMENTAL PROTECTION AGENCY Region I J. F. Kennedy Federal Building Boston, MA 02203

Dear Sirs:

We thank you for your letter notifying us of our errors and giving us the opportunity to correct them.

Since the initial filing of our application, we have attended seminars as required in the regulations. We realize at this point that we made several errors in our judgement of what actually was required in our permit application.

Our initial application showed treatment and storage tanks of 60,000 gallons per day. These are in fact elementary treatment units whose outflow is permitted by a Publicly Owned Treatment Works operated by the city of Waterbury. The sludge resulting from the treatment, we feel, is actually our source of generation of hazardous waste. It is a metal hydroxide and metal sulfide sludge which we are collecting and storing in drums for eventual disposal off-site. As indicated by the corrected drawing, this area is now located indoors.

We have corrected our application to indicate this procedure. We now feel our application is fundamentally correct and hope it meets with your approval.

Respectfully submitted,

MACDERMID INCORPORATED

John Miele

Process Engineer

JM/cm1

Attachments